
Sure-Brameriant

Revolutionary New Technology in Lingerie Manufacture From Reliant


The Sure Thing in Lingerie Lamination







Economical



Efficient





Comfortable




Sure-Bra_{TM} FROM RELIANT

A Complete Laminating & Adhesive Process System For Guaranteed Results In Lingerie Production



The Sure-Bra_™ Process




Reliant Coolstream Sure-Bram Powder Lamination Production Line


(Can Be Used For Web & Film Adhesives)



The Sure-Bra_™ Process Guarantees Wash Fast Results For The Lifetime Of The Garment



The Sure-Bra_™ Adhesive Powder Creates A Cross-Linked Chemical Bond That Will Not Breakdown With Re-Heating Or Washing






With The Sure-Bra_™ Process There Is No Danger Of The Bond Breaking Down After Lamination. When High Temperature Moulding The Bond Strength Is Enhanced



The Sure-Bra[™] Process Gives The Ability to Easily Control the Fabric Handle Required



The Sure-Bra_™ Process Ensures High Level and Adjustable Breath-Ability of Laminate Achievable by Simple Adjustment During Processing




Breath-Ability And Comfort



The Sure-Bra_™ Process **Flexible Technology For Different Fabrics** Lace **Cotton Polycotton Polyester** Lycra Lycra Mixes Satin Silk Sure-Bra FROM RELIANT The Sure Thing in Lingerie Lamination

The Sure-Bra_™ Process is Completed During the Production Run With.....




No Additional Curing Time Required Before the Moulding Process






The Sure-Bra_™ Process Eliminates The Problem Of Yellowing Of Adhesives During and After Processing






The Sure-Bra_™ Process Provides Clean, Dry and Safe Production Processing






Continuous Reel-to-Reel Production






Or Cut Panel Production


The Sure-Bra_™ Process Provides Very Controlled Production with the Ability to Stop Mid-Flow Without Problems, Reducing Wastage








The Sure-Bra_™ Process Is Clean & Easy To Use With None of the Problems Associated with Controlling the Viscosity of Liquid Adhesives



The Sure-Bra_™ Process Eliminates Fabric Damage And Rejects Caused By Uneven Distribution When Using Liquid Adhesives for Laminating



The Sure-Bra_™ Powder Adhesive System Requires No Special Storage Conditions for Adhesives And Has No Shelf Life Problems


larch

May



January

The Sure-Bra_™ Process Uses Stepped Zone Heating from Both Sides of the Material for the Control and Elimination of Shrinkage & Distortion of the Fabrics



Using The Sure-Bra_™ Process Provides Significant Payback By Guaranteeing the Lamination During Moulding and Eliminating Rejects Which Have a High Added Value Cost

Lamination & Moulding Rejects

Sure-Bra Savings




The Sure-Bra_™ Process Saves The Added Value Cost of Rejected Materials and Handling Due to Lamination Failures During Moulding and Washing

Fabric Adhesive Foam Adhesive Fabric Handling Laminating Cutting Moulding

Saved Reject Costs



Using The Sure-Bra_™ Process Achieves Savings on Rejected Fabric During Production Caused By Shrinkage, Distortion & Liquid Adhesives



Using The Sure-Bra_™ Process Achieves Savings on The Cost Of Alternative Adhesives Such As Film & Web

Alternative Adhesive

Sure-Bra™ Savings



Using The Sure-Bra_™ Process Eliminates Wastage of Adhesives even when running Cut Pieces



Sure-Bra_™ Savings



Using The Sure-Bra_™ Process Achieves Savings By Avoiding The Need For Clean Down Time When Starting-up Or Making Changeovers

Sure-Bra_™

Savings



Vne

Masted

Using The Sure-Bra_™ Process Achieves Savings By Avoiding The Need For Lengthy Installation of Equipment and Complicated Operator Training

Installation Operator Training


Sure-Bra Savings




Sure-Brameriant

Revolutionary New Technology in Lingerie Manufacture From Reliant

The Sure Thing in Lingerie Lamination







Reliant Machinery Limited

Unit L, Cradock Road., Luton, Bedfordshire, LU4 0JF United Kingdom

Tel: 0044 (0) 01582 584999 Fax: 0044 (0) 01582 581117 Email: sales@reliant-machinery.co.uk

www.reliant-machinery.com